

Transfer Modality Research Initiative

Impacts of Combining Social Protection and Nutrition in Bangladesh

AKHTER U. AHMED, JOHN F. HODDINOTT, AND SHALINI ROY

In Bangladesh, social protection programs have the potential to uplift the most vulnerable out of poverty. Until recently, however, these programs have had little impact on nutrition. Results from a randomized controlled trial in Bangladesh – the Transfer Modality Research Initiative – provides the proof of concept that combining social safety net transfers with nutrition behavior change communication (BCC) can significantly improve household food security and child nutrition, and these impacts can be sustained over time.

MOTIVATION

Most existing evidence – in Bangladesh and elsewhere – shows social protection programs reduce household poverty and improve food security but yield few improvements, if any, in child nutritional status. This raises the question of whether there are constraints other than income that also need to be addressed such as nutrition knowledge. In turn, the International Food Policy Research Institute (IFPRI) partnered with the UN World Food Programme (WFP) to conduct the Transfer Modality Research Initiative (TMRI), a two-year pilot study to determine which form of safety net transfer – cash or food – works best for the ultra poor in rural Bangladesh and whether impacts of these transfers change when linked to nutrition behavior change communication (BCC).

RESEARCH DESIGN

Under TMRI, 4,000 ultra poor women and their 21,600 family members in the northwestern and southern regions of Bangladesh received a monthly transfer from May 2012 to April 2014.

TMRI's research design compared the impacts of five treatment arms to one control:

1. *Cash only*: Monthly cash transfer of Taka (Tk) 1,500 (about US\$19 per month) through mobile phone banking

2. *Food only*: Monthly food transfer of 30 kg of rice, 2 kg of mosur (lentil) pulse, and 2 liters of micronutrient-fortified cooking oil
3. *Food+Cash*: Monthly transfer of Tk 750 and 15 kg of rice, 1 kg of mosur (lentil) pulse and 1 liter of micronutrient fortified cooking oil
4. *Cash+BCC*: Monthly cash transfer and Nutrition BCC (north)
5. *Food+BCC*: Monthly food transfer and Nutrition BCC (south)
6. *Control*: North and south

IFPRI designed the research and conducted the evaluation using a randomized controlled trial design. WFP implemented the TMRI activities through a national partner NGO. The research initiative received guidance from a technical committee comprised of government officials from various ministries.

RESULTS

While all transfer modality combinations caused significant improvements in food security in participating households, the greatest impacts came from transfers when combined with nutrition BCC. Cash transfers combined with nutrition BCC in the north decreased child stunting by 7.8 percentage points over the two years of the project – an achievement almost *three times* the national average decline (Figure 1). (1)

Evidence also shows that adding nutrition BCC to transfers increased diet quantity and quality and the frequency of several food groups consumed by children much more than transfers alone. (1)

Moreover, infant and young child feeding (IYCF) knowledge was sustained 6 months after the project ended, (2) and improved IYCF knowledge among *non-participating* neighboring mothers, indicating information spillovers at the community-level. (3)

Were TMRI's impacts sustained after the program ended? Evidence from a 4-year post-program evaluation indicates that receiving a combination of transfers and nutrition BCC in 2012-14 led to a range of sustained benefits for households, women, and children – including improved home environments for child development, lower maternal depression and experience of intimate partner violence, and lower household poverty. (4) These effects are possibly due to the group-based BCC format empowering women and stimulating changes in household investment and livelihoods.

POLICY IMPLICATIONS


TMRI's results have significant policy implications on the potential of nutrition-sensitive social safety nets in Bangladesh.

- If the policy objective is to improve the diets of poor households, both cash and food transfers are effective.
- If the policy objective is to improve the nutritional status of children from the poorest households, transfers alone are inadequate.
- High quality behavior change communication (BCC) together with transfers – especially cash transfers – can significantly improve child nutrition and anthropometric outcomes.

Although the impacts of cash and food transfers on some outcomes are quite similar, the delivery

cost of cash transfers is considerably lower than food transfers. Therefore, cash transfers are more cost-effective than food transfers.

Figure 1 Reductions in child stunting, 2014 endline



Source: (1)

REFERENCES

1. Ahmed AU, Hoddinott JF, Roy S, Sraboni E. Food Transfers, Behavior Change Communication, and Child Nutrition: Evidence from Bangladesh. IFPRI Discussion Paper 1868. Washington, DC: International Food Policy Research Institute (IFPRI). <https://doi.org/10.2499/p15738coll2.133420>
2. Hoddinott JF, Ahmed AU, Karachiwalla NI, Roy S. Nutrition Behaviour Change Communication Causes Sustained Effects on IYCN Knowledge in Two Cluster-Randomised Trials in Bangladesh. *Maternal and Child Nutrition*, 2017; 1-10. doi:10.1111/mcn.12498.
3. Hoddinott JF, Ahmed I, Ahmed AU, Roy S. Behavior Change Communication Activities Improve Infant and Young Child Nutrition Knowledge and Practice of Neighboring Non-Participants in a Cluster-Randomized Trial in Rural Bangladesh, *PLoS ONE*. 2017; 12(6): e0179866. <https://doi.org/10.1371/journal.pone.017986>
4. Ahmed AU, Hidrobo M, Hoddinott JF, Koch B, Roy S, Tauseef S. Social Protection and Sustainable Poverty Reduction: Experimental Evidence from Bangladesh. 2021. IFPRI Discussion Paper 1988. Washington, DC: International Food Policy Research Institute (IFPRI). <https://doi.org/10.2499/p15738coll2.134221>

Akhter U. Ahmed and Shalini Roy are Senior Research Fellows in the Poverty, Health, and Nutrition Division of the International Food Policy Research Institute, Washington, DC, USA. John F. Hoddinott is a professor at Cornell University and Non-Resident Fellow at IFPRI.

The two-year TMRI study was supported and guided by the Government of the People's Republic of Bangladesh, and funding support was provided by the CGIAR Research Program on Policies, Institutions, and Markets (PIM) led by IFPRI. German Ministry for Economic Cooperation and Development (BMZ), UK Department for International Development (DFID), the Swiss Agency for Development and Cooperation (SDC), the United Nations Development Programme (UNDP), and the United States Agency for International Development (USAID). Funding support for the four-year TMRI post-program survey was provided by the UN World Food Programme (WFP) and PIM. This policy note has not gone through IFPRI's standard peer-review procedure. The views and opinions contained in the report are those of the authors, and do not necessarily reflect those by BMZ, CGIAR, DFID, IFPRI, PIM, SDC, UNDP, USAID, or WFP.